

**DECLARATION OF PERFORMANCE (acc. EU 305/2011, Annex V)
No 05-0001-03**


1. Unique identification code of the product-type: **STEICOzell**
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR : **see product label**
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: **Thermal insulation for buildings**
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5): **STEICO SE, Otto-Lilienthal-Ring 30, D-85622 Feldkirchen, email: info@steico.com**
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2): **not relevant**
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V: **AVCP 3**
7. In case of the declaration of performance concerning a construction product for which European Technical Assessment has been issued:
Notified certification body No. 0432 MPA Nordrhein-Westfalen performed the determination of the product type on basis of system 3 (point 6).
8. Declared performance

Table 1

Essential characteristics		Performance	Harmonised technical specification
Composition and production method	2.1 Composition and production method	Product type 2 according to the EOTA assessment criteria	ETA-12/0011
Settlement	2.3 Settlement, Method A	Maximum 15%	
	2.3 Settlement, Method C	0%	
	2.3 Settlement, Method D	Maximum 10%	
Thermal conductivity	2.4 Thermal conductivity λ_D category 1	0,038 W/(m K) (density 30-60kg/m ³)	
	2.4 Thermal conductivity λ_D category 2	0,038 W/(m K) (density 30-60kg/m ³)	
Reaction to fire	2.5 Reaction to fire	Class E	
Resistance to the growth of mould	2.6 Resistance to the growth of mould	Evaluation level 0	
Air flow resistance	2.7 Air flow resistance (mean value)	≥ 5.0 kPa s/m ² (density 30kg/m ³)	
Corrosion-developing capacity	2.8 Corrosion-developing capacity	NPD	
Retention of additives	2.9 Retention of additives	Class E	
Water absorption	2.10 Water absorption	NPD	
Emission of dangerous substances or radiation	2.11 Emission of dangerous substances or radiation	Product type 2 according to the EOTA assessment criteria	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Dr. Michael Makas Head of R&D/QM (name and function)	Feldkirchen, 26/11/2013 (place and date of issue)	 b.o. (signature)
--	--	--

Date: 12/06/2013	Revised: 26/11/2013
------------------	---------------------